L Number	Hits	Search Text	DB	Time stamp
-	3235	(memory near3 (request\$3 or allocat\$3 or	USPAT;	2002/10/04 13:25
		manag\$7)).ab.	US-PGPUB;	
		,	IBM_TDB USPAT;	2002/10/04 13:50
-	35752	(memory near3 (request\$3 or allocat\$3 or	US-PGPUB;	2002/10/04 13.50
		manag\$7))	IBM TDB	1
_	41	(request\$3 near3 queue\$3).ti.	USPĀT;	2002/10/04 13:26
		(2042000)0 000000	US-PGPUB;	
			IBM_TDB	
-	402	(request\$3 near3 queue\$3).ab.	USPAT;	2002/10/04 20:02
			US-PGPUB;	
	5970	request\$3 near3 queue\$3	<pre>IBM_TDB USPAT;</pre>	2002/10/04 13:53
_	39,0	ledgescha ucata dacacha	US-PGPUB;	2002, 20, 01 22,00
			IBM TDB	
_	90	(request\$3 near3 queue\$3) same (data near3	USPĀT;	2002/10/04 13:29
		size)	US-PGPUB;	
			IBM_TDB	0000/10/04 13:30
_	865	((memory near3 (request\$3 or allocat\$3 or manag\$7))) same (data near3 size)	USPAT; US-PGPUB;	2002/10/04 13:30
		Manag\$7;)) Same (data hears size)	IBM TDB	
_	945	((request\$3 near3 queue\$3) same (data	USPAT;	2002/10/04 13:32
		near3 size)) or (((memory near3 (request\$3	US-PGPUB;	
		or allocat\$3 or manag\$7))) same (data	IBM_TDB	
		near3 size))		
-	886	(((request\$3 near3 queue\$3) same (data	USPAT;	2002/10/04 13:33
		near3 size)) or (((memory near3 (request\$3 or allocat\$3 or manag\$7))) same (data	US-PGPUB; IBM TDB	
		near3 size))) and (location or address)	1914-108	
_	106		USPAT;	2002/10/04 13:50
		near3 size)) or (((memory near3 (request\$3	US-PGPUB;	
		or allocat\$3 or manag\$7))) same (data	IBM_TDB	
		near3 size))) and (location or address))		
		and partition	, , , o , o , o , o , o , o , o , o , o	2002/10/04 13:52
_	20850	((memory near3 (request\$3 or allocat\$3 or manag\$7 or control\$3)) or (request near3	USPAT; US-PGPUB;	2002/10/04 13:52
		queue\$2)) and ((partition\$3 or divid\$3 or	IBM TDB	
		split\$3) near3 (data or memory))	12.1_132	
-	3084	((memory near3 (request\$3 or allocat\$3 or	USPAT;	2002/10/04 13:54
		manag\$7 or control\$3)) or (request near3	US-PGPUB;	
		queue\$2)).ab. and ((partition\$3 or divid\$3	IBM_TDB	
	1407	or split\$3) near3 (data or memory)) (((memory near3 (request\$3 or allocat\$3 or	HCDATT.	2002/10/04 13:54
_	1407	manag\$7 or control\$3)) or (request near3	USPAT; US-PGPUB;	2002/10/04 13.54
		queue\$2)).ab. and ((partition\$3 or divid\$3	IBM TDB	
		or split\$3) near3 (data or memory))) and		
		((data or memory) near3 size)		
-	501	((memory near3 (request\$3 or allocat\$3 or	USPAT;	2002/10/04 13:57
i		<pre>manag\$7 or control\$3)) or (request near3 queue\$2)).ab. and ((partition\$3 or divid\$3</pre>	US-PGPUB;	
		or split\$3) near3 data) and (data\$2 near3	IBM_TDB	
		size\$2)		
-	95	((memory near3 (request\$3 or allocat\$3 or	USPAT;	2002/10/04 16:09
		manag\$7 or control\$3)) or (request near3	US-PGPUB;	
		queue\$2)).ab. and (((partition\$3 or	IBM_TDB	
		divid\$3 or split\$3) near3 data) same		
_	95	<pre>(data\$2 near3 size\$2)) (((memory near3 (request\$3 or allocat\$3 or</pre>	USPAT;	2002/10/04 17:56
	90	manag\$7 or control\$3)) or (request near3	US-PGPUB;	2002/10/04 1/:30
		queue\$2)).ab. and (((partition\$3 or	IBM TDB	
		divid\$3 or split\$3) near3 data) same		
		(data\$2 near3 size\$2))) and (location or		
	600	address or size)		0000/10/01 15 55
-	692	(request\$3 near3 queue\$2) and (independ\$7	USPAT;	2002/10/04 17:58
		with (transfer\$5 or rout\$3))	US-PGPUB; IBM TDB	
_	30	(request\$3 near3 queue\$2).ab. and	USPAT;	2002/10/04 17:58
		(independ\$7 with (transfer\$5 or rout\$3))	US-PGPUB;	
			IBM_TDB	

-	2	(request\$3 near3 queue\$3).ab. and (static	USPAT;	2002/10/04 20:04
		near3 (priori\$5 or polic\$4))	US-PGPUB;	
		-	IBM_TDB	
-	174	(request\$3 near3 queue\$3) and (round near3	USPAT;	2002/10/04 20:40
		robin) and (recently near3 used)	US-PGPUB;	
			IBM_TDB	
-	7	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	USPAT;	2002/10/07 06:31
ļ		near3 robin) and (recently near3 used)	US-PGPUB;	
1		100 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IBM TDB	2002/10/04 20:46
-	1	(request\$3 near3 queue\$3) and (round near3	USPAT; US-PGPUB;	2002/10/04 20:46
		robin) and (recently near3 used) and (static\$3 near3 (priorit\$7 or polic\$3))	IBM TDB	
_	3	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 06:57
		(static\$3 with (priorit\$4 or polic\$3))	US-PGPUB;	2002, 10, 0, 00.5,
		(beautiofs with (priority) or policy)	IBM TDB	
_	1	(request\$3 near3 queue\$3).ab. and	USPĀT;	2002/10/07 07:01
		(((round-robin) or (round near3 robin))	US-PGPUB;	
		with (priorit\$4 or polic\$3)) and	IBM TDB	
		((recent\$4 near3 used) with (priorit\$4 or	_	
		polic\$3))		
-	1	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 07:00
		((static\$3 with (priorit\$4 or polic\$3))	US-PGPUB;	-
		same (((round-robin) or (round near3	IBM_TDB	
	0.0	robin)) with (priorit\$4 or polic\$3)))	HODAM.	2000/10/07 06:50
-	29	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 06:59
		<pre>(((round-robin) or (round near3 robin)) with (priorit\$4 or polic\$3))</pre>	US-PGPUB; IBM TDB	
1_	0	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 07:22
		(((round-robin) or (round near3 robin))	US-PGPUB;	2002/10/07 07:22
		with (priorit\$4 or polic\$3)) and	IBM TDB	
		((recent\$4 near3 used) with (priorit\$4 or	15.1_155	
		polic\$3)) and (fix\$3 with (priorit\$4 or		
		polic\$3))		
-	13	(request\$3 near3 queue\$3).ab. and (fix\$3	USPAT;	2002/10/07 08:01
		with (priorit\$4 or polic\$3))	US-PGPUB;	
			IBM_TDB	
-	21	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 08:16
		(translat\$5 with (location\$2 or address\$3)	US-PGPUB;	
	3.4	with request\$3)	IBM_TDB	0000 (10 (07 14 11
-	14	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 14:11
		(transfer\$4 near3 independent\$4)	US-PGPUB; IBM TDB	
_	3	((request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 08:18
	١	(transfer\$4 near3 independent\$4)) and	US-PGPUB;	2002/10/07 08.18
		((address or location) with translat\$6)	IBM TDB	
-	94	(request\$3 near3 queue\$3).ab. and ((id or	USPAT;	2002/10/07 10:28
	- 1	identifier or name) with data)	US-PGPUB;	
			IBM_TDB	
-	30	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 14:14
		((transfer\$4 or rout\$3) with	US-PGPUB;	
]	independent\$4)	IBM_TDB	
-	11	(request\$3 near3 queue\$3).ab. and	USPAT;	2002/10/07 15:45
1		((transfer\$4 or rout\$3) with	US-PGPUB;	
		independent\$4) and ((translat\$3 or map\$4)	IBM_TDB	
_	20	with (address\$2 or location\$2)) (US-6353869-\$ or US-6266162-\$ or	USPAT	2002/10/07 14.51
	20	US-6247102-\$ or US-6226727-\$ or	OSTAI	2002/10/07 14:51
		US-6157963-\$ or US-6088777-\$ or	1	
		US-5905877-\$ or US-5898895-\$ or		
	1	US-5862403-\$ or US-5664104-\$ or		
		US-5652905-\$ or US-5623688-\$ or		
		US-4646294-\$ or US-5822603-\$ or		
		US-5685010-\$ or US-5651132-\$ or		
		US-5526507-\$ or US-5485586-\$ or		
		US-5452299-\$ or US-4855900-\$).did.		

Γ-	1 15	((US-6353869-\$ or US-6266162-\$ or	USPAT;	2002/10/07 14:52
_	10	US-6247102-\$ or US-6226727-\$ or	US-PGPUB;	
		US-6157963-\$ or US-6088777-\$ or	IBM TDB	:
		US-5905877-\$ or US-5898895-\$ or		
	į	US-5862403-\$ or US-5664104-\$ or		
		US-5652905-\$ or US-5623688-\$ or		
		US-4646294-\$ or US-5822603-\$ or		
		US-5685010-\$ or US-5651132-\$ or		
		US-5526507-\$ or US-5485586-\$ or		
		US-5452299-\$ or US-4855900-\$).did.) and		
		(priorit\$9 or repriorit\$9 or re-priorit\$9)		
	402		USPAT;	2002/10/07 19:27
-	402	(request) hears quedeas, ab.	US-PGPUB;	2002/10/0/ 13.2/
			IBM TDB	
	110	((request\$3 near3 queue\$3).ab.) and ((id	USPAT;	2002/10/07 15:50
_	119	1 1 1	US-PGPUB;	2002/10/07 15.50
		or identifier\$2 or name\$2) with (data\$2 or	IBM TDB	
	20	packet\$2))	_	2002/10/07 16:18
_	30		USPAT;	2002/10/07 16:18
		((transfer\$5 or rout\$3) with (id or identifier\$2 or name\$2) with (data\$2 or	US-PGPUB;	
		packet\$2))	IBM_TDB	
	30	•	USPAT;	2002/10/07 16:49
_	30	((transfer\$5 or rout\$3 or enqueu\$4 or	US-PGPUB;	2002/10/07 10.49
		en-queu\$4) with (id or identifier\$2 or	IBM TDB	
		1	1017-100	
	10	name\$2) with (data\$2 or packet\$2)) ((request\$3 near3 queue\$3).ab.) and	HCDAT.	2002/10/07 18:25
-	10		USPAT; US-PGPUB;	2002/10/07 18.23
		(separat\$4 with (id or identifier\$2 or	1	
		name\$2) with (data\$2 or packet\$2))	IBM_TDB	2002/10/07 17:31
-	2	((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 17:31
		((together\$3 or combin\$4) with (id or	US-PGPUB;	
		identifier\$2 or name\$2) with (data\$2 or	IBM_TDB	
	1 ,,	packet\$2))	HCDAM.	2002/10/07 18-22
_	11		USPAT;	2002/10/07 18:22
		((separat\$4 or divid\$4) with (id or	US-PGPUB;	1
		identifier\$2 or name\$2) with (data\$2 or	IBM_TDB	
	2293	packet\$2))	HCDAM.	2002/10/07 19:28
_	2293	((request\$3 near3 queue\$3) or (read\$3	USPAT;	2002/10/0/ 19:28
		near3 (transfer\$5 or request\$4))).ab.	US-PGPUB;	
	221	//	IBM_TDB	2002/10/07 10:30
_	231	((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 19:30
		(read\$3 near3 (transfer\$5 or request\$4))	US-PGPUB;	
		///	IBM_TDB	2002/10/07 10:30
-	0	(((request\$3 near3 queue\$3).ab.) and	USPAT;	2002/10/07 19:32
		(read\$3 near3 (transfer\$5 or request\$4)))	US-PGPUB;	
		and ((transfer\$5 or rout\$4) same (sequence	IBM_TDB	
		near3 count) same size same ((start\$4 or		
		begin\$4) near3 (address or location)))	HODE	2002/12/02 12 15
_	3	(((==,====,============================	USPAT;	2002/10/08 10:45
		(read\$3 near3 (transfer\$5 or request\$4)))	US-PGPUB;	
		and ((transfer\$5 or rout\$4) and (sequence	IBM_TDB	
		near3 count) and size and ((start\$4 or		
	<u></u>	<pre>begin\$4) near3 (address or location)))</pre>	l	